	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1174	717/168-178.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:10
2	BRS	L2	2804	713/1 713/2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:10
3	BRS	L3	539	(1 or 2) AND ((memory storage buffer) NEAR3 (adjust$4 allocat$3 $2allocate $2allocation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:15
4	BRS	L4	72712	(('set top' cable CATV subscriber satellite DBS) NEAR2 (box terminal device decoder unit receiver)) or STT or STB	USPAT; US-PGPUB	2004/01/11 08:14
5	BRS	L5	132108	(('set top' cable CATV subscriber satellite DBS) NEAR2 (box terminal device decoder unit receiver)) or STT or STB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:15
6	BRS	L6	191	5 SAME ((memory storage buffer) NEAR3 (adjust$4 allocat$3 $2allocate $2allocation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:22
7	BRS	L7	3769	1 or 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:15

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	BRS	L8	5	7 AND 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:15
9	BRS	L9	2778	5 AND ((memory storage buffer) NEAR3 (adjust$4 allocat$3 $2allocate $2allocation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:17
10	BRS	L10	34	7 AND 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:17
11	BRS	L11	10	10 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:23
12	BRS	L12	6168	(size capacity) WITH ((map$4 cache memory storage buffer) NEAR3 (adjust$4 allocat$3 $2allocate $2allocation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:26
13	BRS	L13	99	7 AND 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:23
14	BRS	L14	45	13 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:25

	Type	L #	Hits	Search Text	DBs	Time Stamp
15	B R S	L15	3408	725/89 725/39-50.ccls. 725/130-153.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:30
16	B R S	L16	42	12 AND 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:30
17	B R S	L17	19	16 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 08:31
18	B R S	L18	83	6 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:28
19	B R S	L19	10136	(size capacity) WITH ((map$4 cache memory storage buffer $2RAM 'non-volatile' 'volatile') NEAR8 (adjust$4 allocat$3 $2allocate $2allocation reconfigur$5 rearrang$3 rest reorder))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:28
20	B R S	L20	117	7 AND 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	56	20 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:29
22	BRS	L22	56	15 AND 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:32
23	BRS	L23	28	22 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:33
24	BRS	L24	518	5 AND 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:32
25	BRS	L25	237	24 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:33
26	BRS	L26	22	5 SAME 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 10:33
27	BRS	L27	8	26 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
28	BRS	L28	1	5666293.pn.	USPAT; US-PGPUB	2004/01/11 11:13
29	BRS	L29	1	28 and ((bootstrap or boot) NEAR3 (routine program software application))	USPAT; US-PGPUB	2004/01/11 11:15
30	BRS	L30	1	28 AND ((missing lost corrupt$3 error) NEAR8 (data information software application))	USPAT; US-PGPUB	2004/01/11 11:16
31	BRS	L31	61359	725/$.ccls. or 348/$.ccls. 709/217-222.ccls.	USPAT; US-PGPUB	2004/01/11 12:33
32	BRS	L32	65478	725/$.ccls. or 348/$.ccls. 709/217-222.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:34
33	BRS	L33	529	32 AND 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:34
34	BRS	L34	306	33 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:38
35	BRS	L35	65481	((program TV video CATV televisio viewer channel menu movie) NEAR2 (guide menu listing grid schedule)) or EPG or IPG	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:36

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	49139	((download$3 distribut$3 transmi$4 deliver$2) WITH (software 35 appllcation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:37
37	BRS	L37	897	36 AND 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:38
38	BRS	L38	68827	32 or 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:38
39	BRS	L39	144	38 AND 37	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:38
40	BRS	L40	55	39 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:40
41	BRS	L41	897	19 AND 36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:40
42	BRS	L42	36	19 SAME 36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:40

	Type	L #	Hits	Search Text	DBs	Time Stamp
43	B R S	L43	13	42 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:41
44	B R S	L44	121	4 AND 19 AND 35	USPAT; US-PGPUB	2004/01/11 12:41
45	B R S	L45	42	44 AND ((@ad <= "19971106") or (@rlad <= "19971106"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/11 12:41